

MT-343013/N

2.4-2.5 GHz 12dBi Omnidirectional Antenna

Specifications

Specifications			
MTI PART NUMBER		MT-343013/N	
ELECTRICAL			
REGULATORY COMPLIANCE		RoHS, CE 0682	
FREQUENCY RANGE		2.4-2.5 GHz	
GAIN		12 dBi ± 1	
VSWR		1.5:1 (max)	
AZIMUTH BEAMWIDTH		360°	
AZIMUTH RIPPLE		± 0.5 dB	
POLARIZATION		Linear Vertical	
E-PLANE BEAMWIDTH		5.1 ° (typ)	
E-PLANE SIDELOBES		-10 dB (max)	
INPUT IMPEDANCE		50 (ohm)	
INPUT POWER		6 W (max)	
LIGHTNING PROTECTION		DC Grounded	
MECHANICAL		_	
DIMENSIONS	DIAMETER	30 mm	
	HEIGHT	1400 mm	
WEIGHT		1 kg (max)	
CONNECTOR		N - TYPE Female	
RADOME		Fiberglass, UV Resistant	
BASE PLATE		Aluminum with chemical conversion coating	
OUTLINE DRAWING		See page 2	
MOUNTING KIT CONFIGURATION		Mounted to Pole Ø1.5" to Ø3" by means of 2 clamps	

ENVIRONMENTAL				
TEST	STANDARD	DURATION	TEMPERTURE	NOTES
LOW TEMPERATURE	IEC 68-2-1	72 h	-55°C	-
HIGH TEMPERATURE	IEC 68-2-2	72 h	+71°C	-
TEMP. CYCLING	IEC 68-2-14	1 h	-45°C +70°C	3 Cycles
VIBRATION	IEC 60721-3-4	30 min/axis	-	Random 4M3
SHOCK MECHANICAL	IEC 60721-3-4	-	-	4M3
HUMIDITY	ETSI EN300-2-4 T4.1E	144 h	-	95%
WATER TIGHTNESS	IEC 529	-	-	IP67
SOLAR RADIATION	ASTM G53	1000 h	-	-
FLAMMABILITY	UL 94	-	-	Class HB
SALT SPRAY	IEC 68-2-11 Ka	500 h	-	-
ICE AND SNOW	-	-	-	25mm Radial
WIND SPEED SURVIVAL	-	-	-	220 Km/h
OPERATION	-	-	-	160 Km/h



2.4-2.5 GHz 7.5 dBi Omnidirectional Antenna

Azimuth Radiation Pattern Dimensions [mm] Midband Freq. 2.45GHz -30 30 -45 -60 60 75 90 -105 105 120 -120135 -135 150 -150 180 165 -165 **Elevation Radiation Pattern** Midband Freq. 2.45GHz 396.3 -30 30 -45 45 60 -60 -75 75 FOR CLAMPS 90 105 105 -120 -135 -150 165 -165 **Existing Antenna Versions**

MTI Wireless Edge is certified according to ISO 9001 and ISO 14001.

WAIVER!

While the information contained in this document has been carefully compiled to the best of our present knowledge, it is not intended as presentation or warranty of any kind on our part regarding the fitness of the products concerned for any particular use or purpose and neither shall any statement contained herein be construed as a recommendation to infringe any industrial property rights or as a license to use any such rights. The fitness of each product for any particular purpose must be checked beforehand with our specialists.

MTI Wireless Edge Ltd.

11 Hamelacha St. Afek Industrial Park Rosh Ha'ayin 48091, Israel Tel: +972-3-9008900 Fax: +972-3-9008901 www.mtiwe.com

Document No: MT-343013/N Issued: 1/1/2007